

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

Range of fittings with a technical structure and two arms in extruded aluminium. Diffuser in white, transparent metacrylate. Aluminium parts can be painted in silver grey or, on demand, matt white. All versions (with the exception of the floor version) with uplight and downlight output, for an extremely functioning, widespread and adjustable lighting output.



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 189 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 24W
Emission	direct
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F2W 44


Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	4kg	(8.8lbs)



SPECIFICATION SHEET

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 189 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 24W
Emission	indirect
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F2W 43


Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	4kg	(8.8lbs)



SPECIFICATION SHEET

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 189 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 24W
Emission	direct
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F2W 44


Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	4kg	(8.8lbs)



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 189 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 24W
Emission	indirect
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F2W 43


Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	4kg	(8.8lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 249 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 39W
Emission	direct
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F3W 44


Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	4kg	(8.8lbs)



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 249 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 39W
Emission	indirect
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F3W 43


Structure



Diffuseur

Package

LxPxH (base)	27x15x260	(10.63x5.91x102.36")
Weight (base)	5.5kg	(12.1lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 249 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 39W
Emission	direct
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F3W 44


Structure



Diffuseur

Package

LxPxH (base)	27x15x260	(10.63x5.91x102.36")
Weight (base)	5.5kg	(12.1lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 249 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 39W
Emission	indirect
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F3W 43


Structure



Diffuseur

Package

LxPxH (base)	27x15x260	(10.63x5.91x102.36")
Weight (base)	5.5kg	(12.1lbs)



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 249 LED dimmable direct

Lamping

Source	linear LED
Total power	2 x 30W
Emission	direct
Dimming	dimmable, dali, push
Voltage	120V
Color temperature	3000K
Luminous flux	2 x 3900lm
Typ cri	83
Energy class	A+
Ip class	20



Codes

RED L3W 44


Structure



Diffuseur

Package

LxPxH (base)	27x15x260	(10.63x5.91x102.36")
Weight (base)	5.5kg	(12.1lbs)



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 249 LED dimmable indirect

Lamping

Source	linear LED
Total power	2 x 30W
Emission	indirect
Dimming	dimmable, dali, push
Voltage	120V
Color temperature	3000K
Luminous flux	2 x 3900lm
Typ cri	83
Energy class	A+
Ip class	20



Codes

RED L3W 43


Structure



Diffuseur

Package

LxPxH (base)	27x15x260	(10.63x5.91x102.36")
Weight (base)	5.5kg	(12.1lbs)



SPECIFICATION SHEET

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 249 LED dimmable indirect

Lamping

Source	linear LED
Total power	2 x 30W
Emission	indirect
Dimming	dimmable, dali, push
Voltage	120V
Color temperature	3000K
Luminous flux	2 x 3900lm
Typ cri	83
Energy class	A+
Ip class	20



Codes

RED L3W 43


Structure



Diffuseur

Package

LxPxH (base)	27x15x260	(10.63x5.91x102.36")
Weight (base)	5.5kg	(12.1lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 309 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 54W
Emission	indirect
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F5W 43


Structure



Diffuseur

Package

LxPxH (base)	27x15x313	(10.63x5.91x123.23")
Weight (base)	7kg	(15.4lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 309 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 54W
Emission	direct
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F5W 44


Structure



Diffuseur

Package

LxPxH (base)	27x15x313	(10.63x5.91x123.23")
Weight (base)	7kg	(15.4lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H27 309 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 54W
Emission	indirect
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F5W 43


Structure



Diffuseur

Package

LxPxH (base)	31x19x330	(12.20x7.48x129.92")
Weight (base)	7kg	(15.4lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 189 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 24W
Emission	direct
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F2W 46


Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	4kg	(8.8lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 189 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 24W
Emission	indirect
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F2W 45


Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	4kg	(8.8lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 189 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 24W
Emission	direct
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F2W 46


Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	4kg	(8.8lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 189 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 24W
Emission	indirect
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F2W 45


Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	4kg	(8.8lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 189 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 24W
Emission	indirect
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F2W 45


Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	4kg	(8.8lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 249 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 39W
Emission	indirect
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F3W 45


Structure



Diffuseur

Package

LxPxH (base)	27x15x260	(10.63x5.91x102.36")
Weight (base)	5.5kg	(12.1lbs)



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 249 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 39W
Emission	direct
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F3W 46


Structure



Diffuseur

Package

LxPxH (base)	27x15x260	(10.63x5.91x102.36")
Weight (base)	5.5kg	(12.1lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 249 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 39W
Emission	indirect
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F3W 45


Structure



Diffuseur

Package

LxPxH (base)	27x15x260	(10.63x5.91x102.36")
Weight (base)	5.5kg	(12.1lbs)



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 249 LED dimmable direct

Lamping

Source	linear LED
Total power	2 x 30W
Emission	direct
Dimming	dimmable, dali, push
Voltage	120V
Color temperature	3000K
Luminous flux	2 x 3900lm
Typ cri	83
Energy class	A+
Ip class	20



Codes

RED L3W 46


Structure



Diffuseur

Package

LxPxH (base)	27x15x260	(10.63x5.91x102.36")
Weight (base)	5.5kg	(12.1lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 249 LED dimmable indirect

Lamping

Source	linear LED
Total power	2 x 30W
Emission	indirect
Dimming	dimmable, dali, push
Voltage	120V
Color temperature	3000K
Luminous flux	2 x 3900lm
Typ cri	83
Energy class	A+
Ip class	20



Codes

RED L3W 45


Structure



Diffuseur

Package

LxPxH (base)	27x15x260	(10.63x5.91x102.36")
Weight (base)	5.5kg	(12.1lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 309 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 54W
Emission	direct
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F5W 46


Structure



Diffuseur

Package

LxPxH (base)	27x15x313	(10.63x5.91x123.23")
Weight (base)	7kg	(15.4lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 309 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 54W
Emission	indirect
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F5W 45


Structure



Diffuseur

Package

LxPxH (base)	27x15x313	(10.63x5.91x123.23")
Weight (base)	7kg	(15.4lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 309 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 54W
Emission	direct
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F5W 46


Structure



Diffuseur

Package

LxPxH (base)	27x15x313	(10.63x5.91x123.23")
Weight (base)	7kg	(15.4lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

H47 309 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2 x 54W
Emission	indirect
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F5W 45


Structure



Diffuseur

Package

LxPxH (base)	31x19x330	(12.20x7.48x129.92")
Weight (base)	7kg	(15.4lbs)



SPECIFICATION SHEET

Luminart[®]

WWW.LUMINARTLIGHTING.COM