

# REGULUS FLOOR

Carlo Forcolini and Giancarlo Fassina

**CODE#**

**TYPE:**

**PROJECT NAME:**

Range of fittings with a technical structure and two arms in extruded aluminium. Diffuser in white, transparent metacrylate. Aluminium parts can be painted in silver grey or, on demand, matt white. All versions (with the exception of the floor version) with uplight and downlight output, for an extremely functioning, widespread and adjustable lighting output.



SPECIFICATION SHEET

**Luminart**<sup>®</sup>

WWW.LUMINARTLIGHTING.COM

# REGULUS FLOOR

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

## 195 FLUO

### Lamping

|             |                 |
|-------------|-----------------|
| Source      | G5 T16 (FH-HO)  |
| Total power | 54W             |
| Emission    | direct/indirect |
| Dimming     | dimmable        |
| Voltage     | 120V            |
| Ip class    | 20              |
| Materials   | metal           |



### Codes

RED F5W 21

### Structure




### Diffuseur

### Package

|                  |           |                     |
|------------------|-----------|---------------------|
| LxPxH (parcel)   | 38x45x5   | (14.96x17.72x1.97") |
| Weight           | 5.4kg     | (11.88lbs)          |
| LxPxH (parcel 2) | 240x10x10 | (94.49x3.94x3.94")  |
| Weight           | 3.8kg     | (8.36lbs)           |

183/213cm  
72.05/83.86"

195/225cm  
76.77/88.58"



SPECIFICATION SHEET

**Luminart**<sup>®</sup>

WWW.LUMINARTLIGHTING.COM

# REGULUS FLOOR

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

## 183 LED

### Lamping

|                   |                           |
|-------------------|---------------------------|
| Source            | linear LED                |
| Total power       | 40W                       |
| Emission          | direct/indirect           |
| Dimming           | dimmable, Dali on request |
| Voltage           | 120V                      |
| Color temperature | 3000K                     |
| Luminous flux     | 5200lm                    |
| Typ cri           | 83                        |
| Energy class      | A+                        |
| Ip class          | 20                        |
| Materials         | metal                     |



### Codes

RED L5W 21

### Structure



### Diffuseur

### Package

|                  |           |                     |
|------------------|-----------|---------------------|
| LxPxH (parcel)   | 38x45x5   | (14.96x17.72x1.97") |
| Weight           | 5.4kg     | (11.88lbs)          |
| LxPxH (parcel 2) | 240x10x10 | (94.49x3.94x3.94")  |
| Weight           | 3.8kg     | (8.36lbs)           |

183/213cm  
72.05/83.86"

195/225cm  
76.77/88.58"

38cm  
14.96"

38cm  
14.96"

SPECIFICATION SHEET

**Luminart**<sup>®</sup>

WWW.LUMINARTLIGHTING.COM

# REGULUS FLOOR

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

## 225 FLUO

### Lamping

|             |                 |
|-------------|-----------------|
| Source      | G5 T16 (FH-HO)  |
| Total power | 80W             |
| Emission    | direct/indirect |
| Dimming     | dimnable        |
| Voltage     | 120V            |
| Ip class    | 20              |
| Materials   | metal           |



### Codes

RED F8W 21

### Structure




### Diffuseur

### Package

|                  |           |                     |
|------------------|-----------|---------------------|
| LxPxH (parcel)   | 38x45x5   | (14.96x17.72x1.97") |
| Weight           | 5.5kg     | (12.1lbs)           |
| LXPXH (parcel 2) | 240x10x10 | (94.49x3.94x3.94")  |
| Weight           | 3.8kg     | (8.36lbs)           |

183/213cm  
72.05/83.86"

195/225cm  
76.77/88.58"



SPECIFICATION SHEET

**Luminart®**

WWW.LUMINARTLIGHTING.COM

# REGULUS FLOOR

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

## 213 LED

### Lamping

|                   |                           |
|-------------------|---------------------------|
| Source            | linear LED                |
| Total power       | 50 W                      |
| Emission          | direct/indirect           |
| Dimming           | dimnable, Dali on request |
| Voltage           | 120V                      |
| Color temperature | 3000K                     |
| Luminous flux     | 6500lm                    |
| Typ cri           | 83                        |
| Energy class      | A+                        |
| Ip class          | 20                        |
| Materials         | metal                     |



### Codes

RED L8W 21

### Structure




### Diffuseur

### Package

|                  |           |                     |
|------------------|-----------|---------------------|
| LxPxH (parcel)   | 38x45x5   | (14.96x17.72x1.97") |
| Weight           | 5.5kg     | (12.1lbs)           |
| LxPxH (parcel 2) | 240x10x10 | (94.49x3.94x3.94")  |
| Weight           | 3.8kg     | (8.36lbs)           |

183/213cm  
72.05/83.86"

195/225cm  
76.77/88.58"



SPECIFICATION SHEET

**Luminart**<sup>®</sup>

WWW.LUMINARTLIGHTING.COM